

C Series

ATX chassis



C638 ■■



C589 ■■



C583 ■■

● TAC 2.0 Thermal Solution

Qualified for TAC 2.0, a mass ventilation hole side panel design strengthens thermal efficiency and cools down the entire system.



● Side Panel Clip

The patented tool free installation side panel clip.



● Cooling Fan

12cm auxiliary cooling fan at rear panel for better system cooling.




● Swiveled HDD Drive Cage



● Tool Free Installation and Easy Maintenance

Screw-less front panel, drive bays & I/O slots.



● Stamped Motherboard Support

No M/B standoffs installation required, for faster M/B installation.

● Folded Edge

For safety installation. No sharp edges, debris.

CASE SIZE	Mid Tower Chassis
EXTERNAL DRIVE BAY	5.25" x 3, 3.5" x 2
INTERNAL DRIVE BAY	3.5" x 3
FRONT PORTS	USB2.0x2, HD/AC'97 Audio
DIMENSIONS (HxWxD)	16.7" x 7.5" x 17.1"
w/o Front Panel	423 x 190 x 435mm
M/B	ATX, mATX
I/O EXPANSION SLOTS	PCI-E / PCI / AGP Slot x 7
POWER SUPPLY	ATX 12V, PS II
THERMAL SOLUTION	Intel Certified TAC 2.0
COOLING FAN	12 cm Rear Fan
SAFETY	Meets RoHS, CE and FCC Class B Requirements.
SECURITY	Padlock Loop for Padlock / Kensington Slot
OPTIONAL	eSATA / IEEE 1394 Chassis Intrusion Switch

Specification

